

2016 TEXAS A&M AGRILIFE EXTENSION UNIFORM CORN HYBRID TRIALS



Texas A&M AgriLife Extension Service - Texas A&M University
Department of Soil and Crops Sciences - 2474 TAMU - College Station - TX - 77843-2474

2016 TEXAS A&M AGRILIFE EXTENSION UNIFORM CORN HYBRID TRIALS

Ronnie Schnell, Ph.D.
Josh McGinty, Ph.D.
Seth Murray, Ph.D.
Clint Livingston
Stephen Biles
Eric Taylor
Stephen Janak
Anthony Netardus
John Gordy
Mike Hiller
Brent Batchelor
Corrie Bowen
Lyle Zoeller
Mark Arnold
Floyd Ingram
Ryan Collett
Cooper Terril
Bob McCool
Mike Bragg
Andrew Sprague
J.R. Sprague
Scott Strawn
Marcel Fischbacher

Collaborators & Cooperators
Shannon Farms/ Dennis Klump
Leopold Grain
Fred and Chad Hahn
Alan and Lisa Stasney
Gabrysch Farms
Hansen Farms
Terry Marek Farms
Troch/Brenek Farm
Ricky Johnston Farm
Buddy Johnson
Stiles Farm Foundation
Charles Ring
Travis Patterson
Gerald Wilhelm
Justin Crownover

TABLE OF CONTENTS

INTRODUCTION.....	4
SUGGESTIONS FOR HYBRID SELECTION	4
FIELD PLOT TECHNIQUES	5
DATA ANALYSIS AND REPORTING	5
RAINFALL	6
COMPANY INFORMATION	7
UPPER GULF COAST.....	8
REGIONAL SUMMARY.....	8
INDIVIDUAL LOCATIONS	
Calhoun County	9
Colorado County	11
DeWitt County	13
Fort Bend County.....	15
Jackson County	17
Matagorda County	19
Wharton County	21
BLACKLAND PRAIRIE.....	23
REGIONAL SUMMARY.....	23
INDIVIDUAL LOCATIONS	
Bell County	24
Ellis County	26
Milam County	28
Williamson County.....	30
COASTAL BEND.....	32
REGIONAL SUMMARY.....	32
INDIVIDUAL LOCATIONS	
San Patricio County	33
HIGH PLAINS.....	35
REGIONAL SUMMARY.....	35
INDIVIDUAL LOCATIONS	
Dallam County	38
Hansford County.....	41
Moore County	44

Introduction

Texas A&M AgriLife Extension conducts the uniform corn hybrid trials each year to provide growers in the region with accurate and unbiased information on hybrid performance. Selection of superior hybrids that are well adapted for a given region is essential for maximizing yield and profit.

This year, eleven non-irrigated and one irrigated test sites were planted in the Gulf Coast and Blackland Prairie Region. Excessive rainfall prevented planting or resulted in crop failure at several locations. The Upper Gulf Coast had eight official entries and the Blacklands had seven official entries. Additional hybrids may have been included at any given location at the discretion of the cooperator. Only official entries are included in regional summaries. Commercial seed companies enter one hybrid at their discretion into each region and the hybrid must be entered at all locations within a region.

In addition to south and central Texas trials, small plot trials were conducted in the High Plains region of Texas. Plots were two row and about 25 ft in length. Hybrids were entered at the discretion of producers.

Performance trials are conducted by cooperative arrangements between growers, company representatives and Texas A&M AgriLife Extension personnel. Commercial farm equipment is typically used to plant and harvest. Test sites are on privately owned farms or at Texas A&M University AgriLife Research Centers. All entries are randomized and replicated three times at each location. All test sites are managed according to practices common to each production region. If replications are not available, statistical analysis cannot be performed and hybrid performance should be considered equal across hybrids for that site, despite numeric differences in yield or other agronomic traits.

Suggestions for Hybrid Selection

Variety or hybrid selection is often the first decision a grower must make each crop year. The goal is to identify hybrids with superior performance (top yielding) for your environment. Many environments exist in Texas with significant variation within regions and across years, mostly due to variation in weather. Documented, consistent yield performance within a region is essential for selecting hybrids that will perform well on your farming operation. This means that evaluation of hybrids over multiple locations and years (when possible) is the best way to predict future performance. Exercise caution when using single location data to compare hybrid performance.

Following yield performance, other characteristics may be useful for selecting the best hybrid. Maturity or days to flowering may be important for selecting hybrids that are appropriate for your growing season/conditions. Hybrids that possess insect or herbicide traits may be useful for managing various insect and weed pests found on your farm. While consistent yield will be the most important factor affecting hybrid selection, additional

plant characteristics or traits could be used to select from hybrids with similar yield performance.

Field-Plot Techniques

Hybrid performance trials are conducted at each location using a randomized complete block design with three replications of each entry (hybrid). Seeds for each hybrid are delivered to centralized distribution points in each sub-region. Plots are generally between 4 and 12 rows wide with row spacing ranging from 30 to 40 inches depending on location. All plots are planted using commercial farm equipment provided by growers or cooperators at each location.

Cultural and agronomic practices adapted for each region are used as determined by the cooperator. Most locations are harvested using commercial farm equipment and yield measured by weighing each plot using “weigh wagons”. Some locations may use hand harvesting of predetermined row lengths followed by mechanical threshing and weighing. Grain moisture and test weight are determined from grab samples and measured using instruments such as the Mini GAC plus or similar instruments.

Data Analysis and Reporting

Data from each location is analyzed statistically using SAS 9.3. Mean values for yield and additional agronomic data are presented in tables for each location. Mean values are derived from the average of all replications for each entry in each trial. Least Significant Difference (LSD) is a statistical test used that determines the minimum difference between two entries required to be considered having different levels of performance. Differences between entries (yield, moisture, etc.) less than the LSD value represents variation in measurements due to factors other than hybrid performance, such as variation in soil type, soil moisture, fertility, insect or disease pressure, planting or harvesting procedures. Although numeric differences in yield or other measurements may exist, if two entries are within the LSD value, they should be considered to have equal performance. The Coefficient of Variation (CV) is used to determine the amount of variability in the data set relative to the mean and can be used to determine if the results are reliable. Generally, CV's greater than 20% indicate that the data is unreliable and is not reported. However, each data set is evaluated individually to determine if results will be reported.

In addition to individual location data, summaries for regional performance are provided. Regional summaries provide least square means for grain yield. Least square means are an estimate of yield from a linear model for each region. The model (PROC MIXED) accounts for fixed and random variables. Replications are considered random, hybrid and location are considered fixed. When hybrid is significant and no interaction (hybrid*location) is present, means separation is provided using Tukeys adjustment ($p < 0.05$).

Rainfall

Available soil moisture during the growing season is often a limiting factor for sorghum production in Texas. Available moisture will influence decisions on hybrid selection related to maturity and for selection of appropriate seeding rates. Variation in rainfall patterns can be substantial within a production region and from year to year. Often, it is useful to look at rainfall amounts for a given region based on the water-year. The water-year corresponds with hydrological cycles and runs from October 1 through September 30. In contrast to annual rainfall amounts, water-year analysis includes periods of time when soil profile moisture recharge can occur. The observed water-year is provided in Figure 1.




Figure 1. Precipitation in inches for the water year 2016 (October 1, 2015 - September 30, 2016).

Company Information:

Company	Contact	Phone	Email
Terral Seed - REV	Marty Hale	318-231-8800	mhale@terralseed.com
CPS Dyna-Gro	Cord Willms	361-960-4399	James.willms@cpsagu.com
Golden Acres Genetics	Chris Sheppard	254-761-9838	csheppard@goldenacres.com
Mycogen Seeds	Adam Owens	817-223-9638	atowens@dow.com
Advanta - Phoenix	Travis Kidd	806-340-2031	Travis.kidd@advantaseeds.com
Monsanto Dekalb	Jim Bosch	361-571-4234	James.c.bosch@monsanto.com
Syngenta	Tony Driver	254-848-5553	tony.driver@syngenta.com
B-H Genetics	Travis Janak	361-771-8722	travisj@bhgenetics.com

2016 Corn Upper Gulf Coast Regional Summary



Company	Brand	Hybrid	Moisture (%)	Test Weight (lb/bu)	Yield (bu/acre)
Terral Seed	REV	25BHR26	14.0	58.5	143
Mycogen Seeds	Mycogen	2C786	13.9	56.3	135
Monsanto	Dekalb	DKC67-72	14.7	57.6	134
Syngenta	NK	N78S	14.2	56.2	131
Golden Acres Genetics	Golden Acres	G6611	14.5	57.2	130
Advanta	Phoenix	6542A4	13.6	56.4	129
B-H Genetics	B-H Genetics	BH 8465SS	14.2	56.9	128
OPS Dyna-Gro	Dyna-Gro	D54VC52	14.8	57.7	127

Hybrid (Pr>F) 0.000

Location (Pr>F) 0.000

Hybrid* Location (Pr>F) 0.000

Yield is presented as the least square mean, which is an estimate from a linear model. The model (Proc Mixed, SAS9.3) adjusts means for fixed and random affects in the model, including hybrid (f) location (f) and rep (r), to provide better estimates of yield for each hybrid in the regional trial. Yields highlighted in yellow are not significantly different than the top ranked hybrid (Tukeys p=0.05). If no yields are highlighted, refer to individual locations for evaluation of hybrid performance.

Calhoun County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Monsanto	Dekalb	DKC67-72	GEN VT2P	13.2	58.0	141.1
CPS Dyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	13.2	58.3	134.9
Terral Seed	REV	25BHR26	HX1	13.5	59.7	130.1
Golden Acres Genetics	Golden Acres	G6611	GEN VT3P	12.0	58.0	129.6
Mycogen Seeds	Mycogen	2C786	SSX	12.8	56.0	127.1
B-H Genetics	B-H Genetics	BH 8465SS	GEN SSX	12.7	57.0	124.4
Advanta	Phoenix	6542A4	V3111	11.8	56.3	122.8
Syngenta	NK	N78S	V3111	12.1	56.3	122.0

Agronomic information

Plant Date	3/22/2016
Harvest Date	8/1/2016
Irrigated	No
Row Spacing (in)	38
Number of Rows	6
Seeds per Acre	
Nitrogen (lb N/ac)	
Phosphorus (lb P2O5/ac)	
Potassium (lb K2O/ac)	
Precipitation (inches)	22.04
Soil Type	Laewest day

Mean	12.68	57.46	129.0
C.V. (%)	3.000	1.000	7.2
L.S.D.	0.60	0.89	
Pr>F(hybrid)	0.000	0.000	0.258

Cooperator: Shannon Farms/ Dennis Klump

Agent: Eric Taylor


Model : yield = hybrid + blk. LSD provided when hybrid significant at p < 0.05 (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ronnschnell@tamu.edu
979-845-2935

Calhoun County
2016 Corn
Uniform Hybrid Trial




Weather Information


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



Colorado County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Terral Seed	REV	25BHR26	HX1	14.4	59.7	171.4
Monsanto	Dekalb	DKC67-72	GEN VT2P	15.2	59.7	160.7
Syngenta	NK	N78S	V3111	15.5	57.0	152.2
Mycogen Seeds	Mycogen	2C786	SSX	14.7	56.5	151.9
B-H Genetics	B-H Genetics	BH 8465SS	GEN SSX	14.7	58.2	148.3
Advanta	Phoenix	6542A4	V3111	15.1	56.7	143.5
Texas A&M AgriLife Res	TAMU	102	RR	15.6	58.5	142.6
Golden Acres Genetics	Golden Acres	G6611	GEN VT3P	14.9	58.2	134.4
CPS Dyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	15.0	59.2	121.3
B-H Genetics	B-H Genetics	BH 8590	GEN VT2P	14.9	59.2	102.3

Agronomic information

Plant Date	3/16/2016
Harvest Date	8/1/2016
Irrigated	No
Row Spacing (in)	40
Number of Rows	4
Seeds per Acre	23,000
Nitrogen (lb N/ac)	147
Phosphorus (lb P2O5/ac)	46
Potassium (lb K2O/ac)	12
Precipitation (inches)	27.54
Soil Type	Laewest day

Mean	15.00	58.27	142.9
C.V. (%)	2.000	1.000	8.6
L.S.D.	0.59	1.09	21.1
Pr>F(hybrid)	0.013	0.000	0.000

Cooperator: Leopold Grain

Agent: Stephen Janak


Model : yield = hybrid + blk. LSD provided when hybrid significant at p < 0.05 (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ronschnell@tamu.edu
979-845-2935

Colorado County
2016 Corn
Uniform Hybrid Trial




Weather Information


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



DeWitt County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Monsanto	Dekalb	DKC67-72	GEN VT2P	11.4	59.8	145.9
Croplan	Croplan	6640	GEN VT3P	11.3	60.3	145.3
Advanta	Phoenix	6542A4	V3111	10.9	58.5	142.7
Golden Acres Genetics	Golden Acres	G6611	GEN VT3P	11.2	60.2	140.8
Terral Seed	REV	25BHR26	HX1	11.5	61.3	137.9
Mycogen Seeds	Mycogen	2C797	SSX	10.5	59.0	137.3
B-H Genetics	B-H Genetics	BH 8465SS	GEN SSX	11.1	59.5	137.2
Mycogen Seeds	Mycogen	2C786	SSX	10.7	58.7	135.9
Syngenta	NK	N78S	V3111	10.8	58.3	135.8
Monsanto	Dekalb	DKC62-08	GEN SSX	10.6	59.0	128.0
CPS Dyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	11.6	60.8	121.2

Agronomic information

Plant Date	3/3/2016
Harvest Date	8/6/2016
Irrigated	No
Row Spacing (in)	30
Number of Rows	6
Seeds per Acre	100000
Nitrogen (lb N/ac)	89
Phosphorus (lb P2O5/ac)	43
Potassium (lb K2O/ac)	12
Precipitation (inches)	14.38
Soil Type	Sarnosa fine sandy loam

Mean 11.06 59.58 137.1

C.V. (%) 2.000 1.000 7.3

L.S.D. 0.52 1.01

Pr>F(hybrid) 0.004 0.000 0.267

Cooperator: Fred and Chad Hahn

Agent: Anthony Netardus

Model : yield = hybrid + blk. LSD provided when hybrid significant at p < 0.05 (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ron.schnell@tamu.edu
979-845-2935


DeWitt County
2016 Corn
Uniform Hybrid Trial




Weather Information

Precipitation


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



Fort Bend County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Monsanto	Dekalb	DKC67-72	GEN VT2P	14.0	57.7	157.5
Texas A&M AgriLife Res	TAMU	102	RR	14.2	58.0	154.3
Golden Acres Genetics	Golden Acres	G6611	GEN VT3P	14.0	57.3	153.9
Terral Seed	REV	25BHR26	HX1	14.0	57.3	153.7
CPS Dyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	14.1	56.7	152.1
B-H Genetics	B-H Genetics	BH 8465SS	GEN SSX	13.9	55.7	151.7
Mycogen Seeds	Mycogen	2C786	SSX	14.0	56.2	147.1
Advanta	Phoenix	6542A4	V3111	14.0	56.0	144.7
Syngenta	NK	N78S	V3111	14.0	56.3	143.9

Agronomic information

Plant Date	2/18/2016
Harvest Date	8/12/2016
Irrigated	No
Row Spacing (in)	36
Number of Rows	6
Seeds per Acre	24,000
Nitrogen (lb N/ac)	157
Phosphorus (lb P2O5/ac)	5
Potassium (lb K2O/ac)	1
Precipitation (inches)	29.71
Soil Type	Lake Charles clay

Mean	14.03	56.80	151.0
C.V. (%)	1.000	1.000	2.6
L.S.D.		1.41	6.8
Pr>F(hybrid)	0.461	0.029	0.006

Cooperator: Alan and Lisa Stasney

Agent: John Gordy


Model : yield = hybrid + blk. LSD provided when hybrid significant at p < 0.05 (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ronnschnell@tamu.edu
979-845-2935

Fort Bend County
2016 Corn
Uniform Hybrid Trial




Weather Information


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



Jackson County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Terral Seed	REV	25BHR26	HX1	15.4	56.0	122.8
Golden Acres Genetics	Golden Acres	G6611	GEN VT3P	15.1	56.0	121.3
Mycogen Seeds	Mycogen	2C786	SSX	15.0	56.0	116.0
CPSDyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	14.2	56.0	115.4
Monsanto	Dekalb	DKC67-72	GEN VT2P	14.2	56.0	110.7
B-H Genetics	B-H Genetics	BH 8465SS	GEN SSX	14.0	56.0	102.2
Syngenta	NK	N78S	V3111	14.2	56.0	101.7
Advanta	Phoenix	6542A4	V3111	14.1	56.0	100.2

Agronomic information

Plant Date	2/17/2016
Harvest Date	7/11/2016
Irrigated	No
Row Spacing (in)	38
Number of Rows	6
Seeds per Acre	25,000
Nitrogen (lb N/ac)	120
Phosphorus (lb P2O5/ac)	14
Potassium (lb K2O/ac)	5
Precipitation (inches)	26.24
Soil Type	Laewest day

Mean	14.53	56.00	111.3
C.V. (%)	1.000	0.000	5.2
L.S.D.	0.23	0.00	10.1
Pr>F(hybrid)	0.000		0.001

Cooperator: Gabrysich Farms

Agent: Mike Hiller

Model : yield = hybrid + blk. LSD provided when hybrid significant at p < 0.05 (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ronsschnell@tamu.edu
979-845-2935

Jackson County
2016 Corn
Uniform Hybrid Trial




Weather Information


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



Matagorda County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Golden Acres Genetics	Golden Acres	G6611	GEN VT3P	12.6	56.0	150.2
Monsanto	Dekalb	DKC67-72	GEN VT2P	13.1	56.0	148.7
Terral Seed	REV	25BHR26	HX1	13.2	56.0	146.8
CPSDyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	12.6	56.0	143.4
Advanta	Phoenix	6542A4	V3111	12.8	56.0	138.7
B-H Genetics	B-H Genetics	BH 8465SS	GEN SSX	12.1	56.0	138.6
Syngenta	NK	N78S	V3111	12.8	56.0	133.1
Mycogen Seeds	Mycogen	2C786	SSX	12.5	56.0	130.8

Agronomic information

Plant Date	2/21/2016
Harvest Date	8/31/2016
Irrigated	No
Row Spacing (in)	40
Number of Rows	6
Seeds per Acre	26,000
Nitrogen (lb N/ac)	
Phosphorus (lb P2O5/ac)	
Potassium (lb K2O/ac)	
Precipitation (inches)	36.77
Soil Type	Badiff day

Mean	12.71	56.00	141.3
C.V. (%)			
L.S.D.			
Pr>F(hybrid)			

Cooperator: Hansen Farms

Agent: Brent Batchelor

Model : yield = hybrid + blk. LSD provided when hybrid significant at p < 0.05 (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ronnschnell@tamu.edu
979-845-2935

Matagorda County
2016 Corn
Uniform Hybrid Trial




Weather Information


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



Wharton County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Terral Seed	REV	25BHR26	HX1	15.6	58.0	137.5
Mycogen Seeds	Mycogen	2C786	SSX	16.8	54.8	133.6
Syngenta	NK	N78S	V3111	19.0	53.0	124.8
Advanta	Phoenix	6542A4	V3111	16.1	54.8	110.3
CPS Dyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	21.4	56.0	101.6
B-H Genetics	B-H Genetics	BH 8465SS	GEN SSX	19.3	55.2	90.4
Golden Acres Genetics	Golden Acres	G6611	GEN VT3P	20.2	53.7	77.8
Monsanto	Dekalb	DKC67-72	GEN VT2P	21.0	55.0	76.7

Agronomic information

Plant Date	3/4/2016
Harvest Date	7/29/2016
Irrigated	No
Row Spacing (in)	38
Number of Rows	6
Seeds per Acre	
Nitrogen (lb N/ac)	140
Phosphorus (lb P2O5/ac)	21
Potassium (lb K2O/ac)	0
Precipitation (inches)	31.80
Soil Type	Lake Charles clay

Mean	18.66	55.06	106.6
C.V. (%)	23.000	3.000	11.1
L.S.D.		2.45	20.6
Pr>F(hybrid)	0.577	0.023	0.000

Cooperator: Terry Marek

Agent: Corrie Bowen


Model : yield = hybrid + blk. LSD provided when hybrid significant at p < 0.05 (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ronnschnell@tamu.edu
979-845-2935

Wharton County
2016 Corn
Uniform Hybrid Trial




Weather Information


Accumulated Precip




Daily Amounts of Precip



Temperatures - High And Low



2016 Corn Blacklands Regional Summary



Company	Brand	Hybrid	Moisture (%)	Test Weight (lb/bu)	Yield (bu/acre)
Monsanto	Dekalb	DKC67-14	10.9	54.8	132
Mycogen Seeds	Mycogen	2C786	10.8	56.5	120
Advanta	Phoenix	6542A4	10.6	55.6	118
Golden Acres Genetics	Golden Acres	G7601	10.9	55.2	117
Terral Seed	REV	25BHR26	11.0	57.3	117
OPS Dyna-Gro	Dyna-Gro	D54VC52	11.1	56.3	114
B-H Genetics	B-H Genetics	BH 8590	11.0	55.9	113

Hybrid (Pr>F) 0.000

Location (Pr>F) 0.000

Hybrid* Location (Pr>F) 0.001

Yield is presented as the least square mean, which is an estimate from a linear model. The model (Proc Mixed, SAS9.3) adjusts means for fixed and random affects in the model, including hybrid (f) location (f) and rep (r), to provide better estimates of yield for each hybrid in the regional trial. Yields highlighted in yellow are not significantly different than the top ranked hybrid (Tukeys p=0.05). If no yields are highlighted, refer to individual locations for evaluation of hybrid performance.

Bell County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Monsanto	Dekalb	DKC67-14	GEN VT2P	8.6	52.7	65.0
Advanta	Phoenix	6542A4	V3111	8.0	53.0	56.8
Mycogen Seeds	Mycogen	2C786	SSX	9.2	53.7	55.4
B-H Genetics	B-H Genetics	BH 8590	GEN VT2P	9.0	54.3	52.3
CPS Dyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	9.8	55.0	51.9
Terral Seed	REV	25BHR26	HX1	9.4	54.7	51.8
Golden Acres Genetics	Golden Acres	G7601	GEN VT3P	9.4	52.7	47.8

Agronomic information

Plant Date	3/3/2016
Harvest Date	8/10/2016
Irrigated	No
Row Spacing (in)	30
Number of Rows	6
Seeds per Acre	22,600
Nitrogen (lb N/ac)	137
Phosphorus (lb P2O5/ac)	42
Potassium (lb K2O/ac)	0
Precipitation (inches)	26.21
Soil Type	Branyon clay

Mean	9.06	53.71	54.4
C.V. (%)	12.000	1.000	8.4
LSD.		1.05	8.2
Pr>F(hybrid)	0.503	0.001	0.016

Cooperator: Hoch/Brenek Farm

Agent: Lyle Zoeller

Model : yield = hybrid + blk. LSD provided when hybrid significant at $p < 0.05$ (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ronnschnell@tamu.edu
979-845-2935

Bell County
2016 Corn
Uniform Hybrid Trial




Weather Information


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



Ellis County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Monsanto	Dekalb	DKC67-14	GEN VT2P	11.6	56.0	165.6
Monsanto	Dekalb	DKC67-72	GEN VT2P	11.6	56.0	156.6
Golden Acres Genetics	Golden Acres	G7601	GEN VT3P	11.2	55.0	153.5
Dupont	Pioneer	P1395	AM1	11.5	58.0	152.1
Terral Seed	REV	25BHR26	HX1	11.5	58.0	151.0
Advanta	Phoenix	6542A4	V3111	11.3	55.0	150.9
Syngenta	NK	N79Z	V3111	11.7	56.0	141.8
Syngenta	NK	N78S	V3111	11.6	56.3	140.5
B-H Genetics	B-H Genetics	BH 8590	GEN VT2P	11.7	56.0	140.4
CPS Dyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	11.4	57.0	137.8
Dupont	Pioneer	P2088	AM1	11.4	56.0	137.8
Mycogen Seeds	Mycogen	2C786	SSX	11.3	56.0	135.4
Dupont	Pioneer	P1311	AM-R	11.2	55.0	133.5

Agronomic information

Plant Date	3/28/2016
Harvest Date	9/21/2016
Irrigated	No
Row Spacing (in)	30
Number of Rows	8
Seeds per Acre	24,000
Nitrogen (lb N/ac)	140
Phosphorus (lb P2O5/ac)	40
Potassium (lb K2O/ac)	0
Precipitation (inches)	33.35
Soil Type	Burleson clay

Mean 11.46 56.18 145.9

C.V. (%)

L.S.D.

Pr>F(hybrid)

Cooperator: Ricky Johnston Farm

Agent: Mark Arnold

Model : yield = hybrid + blk. LSD provided when hybrid significant at p < 0.05 (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ron.schnell@tamu.edu
979-845-2935

Ellis County
2016 Corn
Uniform Hybrid Trial




Weather Information


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



Milam County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Mycogen Seeds	Mycogen	2C786	SSX	11.0	57.7	175.6
Monsanto	Dekalb	DKC67-14	GEN VT2P	11.0	57.0	173.1
CPS Dyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	11.0	58.0	159.6
Advanta	Phoenix	6542A4	V3111	11.0	56.3	153.5
Golden Acres Genetics	Golden Acres	G7601	GEN VT3P	11.0	56.2	152.8
Terral Seed	REV	25BHR26	HX1	11.0	57.7	144.0
B-H Genetics	B-H Genetics	BH 8590	GEN VT2P	11.0	56.0	142.9
Stine Seed Company	Stine	9741	RR	11.0	56.0	142.6

Agronomic information

Plant Date	3/4/2016
Harvest Date	8/31/2016
Irrigated	No
Row Spacing (in)	30
Number of Rows	8
Seeds per Acre	
Nitrogen (lb N/ac)	100
Phosphorus (lb P2O5/ac)	0
Potassium (lb K2O/ac)	26
Precipitation (inches)	26.14
Soil Type	Branyon clay

Mean	11.00	56.85	155.5
C.V. (%)	0.000	3.000	5.6
L.S.D.	0.00		15.2
Pr>F(hybrid)		0.508	0.001

Cooperator: Buddy Johnson

Agent: Floyd Ingram

Model : yield = hybrid + blk. LSD provided when hybrid significant at p < 0.05 (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ronsschnell@tamu.edu
979-845-2935

Milam County
2016 Corn
Uniform Hybrid Trial




Weather Information


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



Williamson County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Monsanto	Dekalb	DKC67-14	GEN VT2P	12.3	54.5	125.6
Terral Seed	REV	25BHR26	HX1	12.0	58.9	120.9
Progeny Ag Products	Progeny	PGY6119	GEN VT2P	12.2	58.8	120.7
Texas A&M AgriLife Res	TAMU	102	RR	12.2	54.2	119.6
B-H Genetics	B-H Genetics	BH 8590	GEN VT2P	12.4	57.1	115.7
Golden Acres Genetics	Golden Acres	G7601	GEN VT3P	11.9	56.3	113.8
Progeny Ag Products	Progeny	PGY6116	GEN VT2P	12.2	57.3	113.7
Stine Seed Company	Stine	9728e	RR	11.8	53.8	112.2
Mycogen Seeds	Mycogen	2C786	SSX	11.8	57.8	112.1
Advanta	Phoenix	6542A4	V3111	12.0	57.2	110.8
CPS Dyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	12.4	55.8	107.0
Stine Seed Company	Stine	9741	RR	11.9	56.6	84.1

Agronomic information

Plant Date	3/3/2016
Harvest Date	8/11/2016
Irrigated	No
Row Spacing (in)	38
Number of Rows	4
Seeds per Acre	21,113
Nitrogen (lb N/ac)	134
Phosphorus (lb P2O5/ac)	36
Potassium (lb K2O/ac)	6
Precipitation (inches)	23.66
Soil Type	Burleson clay

Mean 12.09

C.V. (%) 2.000

L.S.D. 0.34

Pr>F(hybrid) 0.009

Cooperator: Stiles Farm - Ryan Collett

Agent: Cooper Terril

Model : yield = hybrid + blk. LSD provided when hybrid significant at p < 0.05 (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ron.schnell@tamu.edu
979-845-2935

Williamson County
2016 Corn
Uniform Hybrid Trial




Weather Information


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



2016 Corn Coastal Bend Regional Summary



Company	Brand	Hybrid	Moisture (%)	Test Weight (lb/bu)	Yield (bu/acre)
N					

Yield is presented as the least square mean, which is an estimate from a linear model. The model (Proc Mixed, SAS9.3) adjusts means for fixed and random affects in the model, including hybrid (f) location (f) and rep (r), to provide better estimates of yield for each hybrid in the regional trial. Yields highlighted in yellow are not significantly different than the top ranked hybrid (Tukeys p=0.05). If no yields are highlighted, refer to individual locations for evaluation of hybrid performance.

San Patricio County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Golden Acres Genetics	Golden Acres	G6708	GEN VT3P	10.3	55.0	151.8
Monsanto	Dekalb	DKC67-72	GEN VT2P	10.4	53.1	144.2
Monsanto	Dekalb	DKC67-14	GEN VT2P	10.8	55.3	143.8
Mycogen Seeds	Mycogen	2C786	SSX	10.3	53.3	131.2
Golden Acres Genetics	Golden Acres	G6611	GEN VT3P	10.1	54.0	126.1
OPSDyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	11.4	55.7	121.9
Mycogen Seeds	Mycogen	2V777	SSX	10.1	52.6	121.8
Dupont	Pioneer	P2160	HX1	11.3	57.1	117.1
Dupont	Pioneer	P1311	AM-R	10.3	53.6	118.9
OPSDyna-Gro	Dyna-Gro	55VC77	GEN VT2P	11.0	55.8	113.4
Advanta	Phoenix	6542A4	V3111	10.7	53.0	114.3
B-H Genetics	B-H Genetics	BH 8475	GEN SSX	10.8	55.3	110.5
Terral Seed	REV	25BHR26	HX1	11.2	55.0	110.0

Agronomic information

Plant Date	2/19/2016
Harvest Date	7/20/2016
Irrigated	Yes
Row Spacing (in)	30
Number of Rows	2
Seeds per Acre	26,000
Nitrogen (lb N/ac)	138
Phosphorus (lb P2O5/ac)	6
Potassium (lb K2O/ac)	1
Precipitation (inches)	17.41
Soil Type	Victoria clay

Mean	10.66	54.53	124.7
C.V. (%)	5.000	1.000	10.0
L.S.D.	0.88	0.53	19.1
Pr>F(hybrid)	0.034	0.000	0.000

Cooperator: Charles Ring

Agent: Bob McCool


Model : yield = hybrid + blk. LSD provided when hybrid significant at p < 0.05 (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ron.schnell@tamu.edu
979-845-2935

San Patricio County
2016 Corn
Uniform Hybrid Trial



Weather Information


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



2016 Corn High Plains Regional Summary



Company	Brand	Hybrid	Moisture (%)	Test Weight (lb/bu)	Yield (bu/acre)
Mycogen Seeds	Mycogen	X14730VH	17.2	56.1	293
Dupont	Pioneer	P1751	14.0	58.5	284
CPS Dyna-Gro	Dyna-Gro	D54DC94	13.9	58.0	284
Syngenta	NK	N73Y	14.4	56.0	282
Croplan	Croplan	5290	13.8	60.9	281
Dupont	Pioneer	P1311	11.9	58.7	280
Monsanto	Dekalb	DKC70-20	15.1	59.0	280
Syngenta	NK	N78N	16.0	59.8	280
Monsanto	Dekalb	DKC68-26	14.7	59.6	279
Integra	Integra	9678	15.0	59.0	275
Monsanto	Dekalb	DKC66-59	14.7	59.4	274
Monsanto	Channel	218-44	15.0	59.8	274
Croplan	Croplan	7927	14.9	58.3	274
Dupont	Pioneer	P1690	13.4	60.3	272
CPS Dyna-Gro	Dyna-Gro	D55VP77	14.3	59.6	271
Monsanto	Channel	217-41	14.3	59.2	270

Yield is presented as the least square mean, which is an estimate from a linear model. The model (Proc Mixed, SAS9.3) adjusts means for fixed and random affects in the model, including hybrid (f) location (f) and rep (r), to provide better estimates of yield for each hybrid in the regional trial. Yields highlighted in yellow are not significantly different than the top ranked hybrid (Tukeys p=0.05). If no yields are highlighted, refer to individual locations for evaluation of hybrid performance.

2016 Corn High Plains Regional Summary



Company	Brand	Hybrid	Moisture (%)	Test Weight (lb/bu)	Yield (bu/acre)
Mycogen Seeds	Mycogen	2Y767	15.4	56.5	269
Integra	Integra	6612	13.0	57.5	269
Croplan	Croplan	5570	14.1	58.7	268
Monsanto	Dekalb	DKC66-74	12.9	58.9	262
Monsanto	Dekalb	DKC64-34	12.7	59.4	261
Syngenta	NK	N67S	12.1	58.6	261
Croplan	Croplan	6640	12.5	59.9	260
CPS Dyna-Gro	Dyna-Gro	D54VC52	14.6	60.0	256
Integra	Integra	6273	12.4	58.2	252
Monsanto	Channel	217-92	15.3	58.9	252
Monsanto	Channel	215-05	12.7	58.7	249
Integra	Integra	6011	12.3	59.4	246
CPS Dyna-Gro	Dyna-Gro	D51VP40	11.7	59.2	236
Mycogen Seeds	Mycogen	MY13K77RA	14.4	57.3	234

Yield is presented as the least square mean, which is an estimate from a linear model. The model (Proc Mixed, SAS9.3) adjusts means for fixed and random affects in the model, including hybrid (f) location (f) and rep (r), to provide better estimates of yield for each hybrid in the regional trial. Yields highlighted in yellow are not significantly different than the top ranked hybrid (Tukeys p=0.05). If no yields are highlighted, refer to individual locations for evaluation of hybrid performance.

2016 Corn High Plains Regional Summary



Company	Brand	Hybrid	Moisture (%)	Test Weight (lb/bu)	Yield (bu/acre)
				Hybrid (Pr>F)	0.000
				Location (Pr>F)	0.000
				Hybrid* Location (Pr>F)	0.001

Yield is presented as the least square mean, which is an estimate from a linear model. The model (Proc Mixed, SAS9.3) adjusts means for fixed and random affects in the model, including hybrid (f) location (f) and rep (r), to provide better estimates of yield for each hybrid in the regional trial. Yields highlighted in yellow are not significantly different than the top ranked hybrid (Tukeys p=0.05). If no yields are highlighted, refer to individual locations for evaluation of hybrid performance.

Dallam County
Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Syngenta	NK	N73Y		17.2	54.0	273.4
Mycogen Seeds	Mycogen	X14730VH		18.8	54.2	272.8
Croplan	Croplan	5290		15.9	59.6	270.0
Dupont	Pioneer	P1690	AM-R	15.2	59.8	264.3
Syngenta	NK	N78N		18.0	58.0	259.8
Dupont	Pioneer	P1311	AM-R	12.6	57.8	261.7
Mycogen Seeds	Mycogen	2Y767		16.7	54.0	260.9
Croplan	Croplan	7927	GEN VT3PRIB	17.6	57.6	260.1
CPS Dyna-Gro	Dyna-Gro	D55VP77	GEN VT3P	16.3	57.3	257.7
CPS Dyna-Gro	Dyna-Gro	D54DC94	GEN DGVT2P	16.4	57.5	256.0
Croplan	Croplan	5570		17.1	57.2	250.1
Monsanto	Dekalb	DKC66-59		17.6	57.4	249.3
Monsanto	Dekalb	DKC70-20		16.3	57.7	249.3
Syngenta	NK	N67S		13.3	57.1	247.7
Monsanto	Dekalb	DKC68-26	GEN VT2P	17.1	57.9	246.6
Dupont	Pioneer	P1751	AM-R	15.8	57.6	246.3
Integra	Integra	9678		16.2	58.0	245.2
Croplan	Croplan	6640	GEN VT3P	15.1	58.0	246.3
CPS Dyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	17.1	58.2	244.1
Integra	Integra	6273		13.7	58.0	243.2
Integra	Integra	6011		14.7	58.1	239.9
Monsanto	Channel	217-41	GEN DGVT2P	16.9	58.0	239.5
Monsanto	Dekalb	DKC64-34		13.8	59.7	238.7
Monsanto	Channel	217-92	GEN VT2PRIB	17.5	57.0	237.6
Monsanto	Channel	218-44		16.3	58.8	232.2

Dallam County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
CPS Dyna-Gro	Dyna-Gro	D51VP40	GEN VT3P	13.4	58.2	229.6
Monsanto	Dekalb	DKC66-74		14.3	56.6	225.7
Mycogen Seeds	Mycogen	MY13K77RA		17.0	54.7	209.1
Monsanto	Channel	215-05	GEN SSXRIB	14.1	55.6	205.9

Agronomic information

Plant Date	5/4/2016
Harvest Date	10/6/2016
Irrigated	No
Row Spacing (in)	30
Number of Rows	2
Seeds per Acre	32,000
Nitrogen (lb N/ac)	
Phosphorus (lb P2O5/ac)	
Potassium (lb K2O/ac)	
Precipitation (inches)	18.76
Soil Type	Dallam fine sandy loam

Mean	15.93	57.36	247.2
C.V. (%)	6.000	2.000	7.2
L.S.D.	1.34	1.58	26.4
Pr>F(hybrid)	0.000	0.000	0.000

Cooperator:

Agent: Mike Bragg


Model : yield = hybrid + blk. LSD provided when hybrid significant at p < 0.05 (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ronnschnell@tamu.edu
979-845-2935

Dallam County
2016 Corn
Uniform Hybrid Trial




Weather Information


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



Hansford County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Dupont	Pioneer	P1751	AM-R	11.2	59.7	304.9
Monsanto	Dekalb	DKC68-26	GEN VT2P	12.3	61.2	302.4
Monsanto	Dekalb	DKC70-20		12.8	60.2	294.0
Monsanto	Dekalb	DKC66-74		10.9	59.9	293.0
Mycogen Seeds	Mycogen	X14730VH		14.8	58.1	292.8
Monsanto	Channel	218-44		11.8	60.4	292.4
CPS Dyna-Gro	Dyna-Gro	D54DC94	GEN DGVT2P	10.2	58.4	289.4
Monsanto	Channel	217-41	GEN DGVT2P	10.9	61.1	289.1
Integra	Integra	9678		13.0	60.3	286.5
Dupont	Pioneer	P1311	AM-R	10.5	58.6	286.2
Monsanto	Dekalb	DKC66-59		11.5	60.7	285.7
Croplan	Croplan	7927	GEN VT3PRIB	11.6	59.0	285.2
Syngenta	NK	N73Y		11.4	57.3	284.2
Croplan	Croplan	5290		11.3	62.2	284.0
Syngenta	NK	N78N		13.6	61.0	283.0
CPS Dyna-Gro	Dyna-Gro	D55VP77	GEN VT3P	11.0	61.9	280.8
Monsanto	Channel	215-05	GEN SSXRIB	11.0	60.3	277.7
Croplan	Croplan	5570		10.8	59.9	272.6
Mycogen Seeds	Mycogen	2Y767		12.8	58.6	271.9
Dupont	Pioneer	P1690	AM-R	10.7	60.5	270.4
Syngenta	NK	N67S		9.9	59.1	269.2
Monsanto	Dekalb	DKC64-34		11.4	58.6	268.4
Croplan	Croplan	6640	GEN VT3P	10.3	61.0	266.2
Monsanto	Channel	217-92	GEN VT2PRIB	11.7	61.1	258.0
Integra	Integra	6273		10.3	60.1	255.3

Hansford County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Mycogen Seeds	Mycogen	MY13K77RA		11.7	58.9	247.1
CPSDyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	12.3	61.3	242.1
Integra	Integra	6011		10.2	60.1	232.8
CPSDyna-Gro	Dyna-Gro	D51VP40	GEN VT3P	9.9	60.1	221.5

Agronomic information

Plant Date	5/11/2016
Harvest Date	10/11/2016
Irrigated	No
Row Spacing (in)	30
Number of Rows	2
Seeds per Acre	32,000
Nitrogen (lb N/ac)	229
Phosphorus (lb P2O5/ac)	94
Potassium (lb K2O/ac)	6
Precipitation (inches)	17.54
Soil Type	Perryton silty clay

Mean	11.44	59.99	275.4
C.V. (%)	3.000	1.000	6.8
L.S.D.	0.47	0.96	26.3
Pr>F(hybrid)	0.000	0.000	0.000

Cooperator: **Travis Patterson**

Agent: **Andrew Sprague, J.R. Sprague Jr., Scott Strawn**

Model : yield = hybrid + blk. LSD provided when hybrid significant at $p < 0.05$ (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ronnschnell@tamu.edu
979-845-2935

Hansford County
2016 Corn
Uniform Hybrid Trial




Weather Information


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



Moore County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Mycogen Seeds	Mycogen	X14730VH		17.9	56.0	313.1
CPSDyna-Gro	Dyna-Gro	D54DC94	GEN DGVT2P	15.0	58.2	306.0
Dupont	Pioneer	P1751	AM-R	15.1	58.1	301.0
Monsanto	Channel	218-44		16.8	60.1	297.3
Monsanto	Dekalb	DKC70-20		16.2	59.2	295.7
Syngenta	NK	N78N		17.4	59.4	294.1
Dupont	Pioneer	P1311	AM-R	12.5	59.6	292.0
Integra	Integra	9678		16.2	58.6	292.0
Croplan	Croplan	5290		14.3	61.0	290.3
Monsanto	Dekalb	DKC68-26	GEN VT2P	14.6	59.7	288.9
Syngenta	NK	N73Y		14.5	56.6	287.9
Monsanto	Dekalb	DKC66-59		15.7	59.6	287.0
Monsanto	Channel	217-41	GEN DGVT2P	15.3	58.6	282.6
Croplan	Croplan	5570		14.3	59.0	282.3
CPSDyna-Gro	Dyna-Gro	D54VC52	GEN VT2P	14.5	60.6	281.6
Dupont	Pioneer	P1690	AM-R	14.2	60.6	280.6
Monsanto	Dekalb	DKC64-34		13.0	59.9	276.9
Croplan	Croplan	7927	GEN VT3PRIB	15.5	58.2	275.2
Mycogen Seeds	Mycogen	2Y767		16.8	56.8	274.7
CPSDyna-Gro	Dyna-Gro	D55VP77	GEN VT3P	15.6	59.7	274.3
Croplan	Croplan	6640	GEN VT3P	12.9	60.1	268.9
Monsanto	Dekalb	DKC66-74		13.4	60.0	266.2
Syngenta	NK	N67S		13.0	59.5	265.7
Integra	Integra	6011		12.6	59.6	264.5
Monsanto	Channel	215-05	GEN SSXRIB	13.4	59.4	263.3

Moore County Corn Hybrid Trial 2016



Company	Brand	Hybrid	Trait(s)	Moisture %	Test Weight (lb/bu)	Yield (bu/acre)
Monsanto	Channel	217-92	GEN VT2PRIB	17.2	58.2	259.9
CPS Dyna-Gro	Dyna-Gro	D51VP40	GEN VT3P	11.9	59.3	257.8
Integra	Integra	6273		13.2	56.5	257.5
Mycogen Seeds	Mycogen	MY13K77RA		15.3	57.8	245.7

Agronomic information

Plant Date	5/5/2016
Harvest Date	10/5/2016
Irrigated	Yes
Row Spacing (in)	30
Number of Rows	2
Seeds per Acre	32,000
Nitrogen (lb N/ac)	
Phosphorus (lb P2O5/ac)	
Potassium (lb K2O/ac)	
Precipitation (inches)	14.52
Soil Type	Sherm clay loam

Mean	14.76	58.96	280.1
C.V. (%)	8.000	2.000	5.6
L.S.D.	1.70	1.93	22.1
Pr>F(hybrid)	0.000	0.000	0.000

Cooperator: Justin Crownover

Agent: Marcel Fischbacher

Model : yield = hybrid + blk. LSD provided when hybrid significant at p < 0.05 (SAS9.4). Yields highlighted in yellow are not statistically different from the top ranked hybrid. Weather data provided by © 2016 The Climate Corporation. For additional information contact your local county extension agent or:
Dr. Ronnie Schnell
ronnschnell@tamu.edu
979-845-2935

Moore County
2016 Corn
Uniform Hybrid Trial




Weather Information


Accumulated Precip



Daily Amounts of Precip



Temperatures - High And Low



Produced by the Department of Soil and Crop Sciences

soilcrop.tamu.edu

The information given herein is for educational purposes only. Reference to commercial products or trade names is made with the understanding that no discrimination is intended and no endorsement by the Texas A&M AgriLife Extension Service is implied.

TEXAS A&M AgriLife Extension Service

AgriLifeExtension.tamu.edu

The Texas A&M AgriLife Extension Service provides equal access in its programs, activities, education and employment, without regard to race, color, sex, religion, national origin, disability, age, genetic information, veteran status, sexual orientation or gender identity.

The Texas A&M University System, U.S. Department of Agriculture, and the County Commissioners Courts of Texas Cooperating